

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	("6744698").PN.	USPAT; USOCR	OR	OFF	2005/03/19 12:33
L2	8	("4058969" "4395138" "5329501" "5886953" "5898643" "5905437" "6396772" "6463010").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/19 12:35
L3	1	("5237257").PN.	USPAT; USOCR	OR	OFF	2005/03/19 12:35
L4	5	("4006396" "4392101" "4746852" "4849682" "4965738").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/19 12:36
L5	47	("5237257").URPN.	USPAT	OR	OFF	2005/03/19 12:54
L6	12	(battery near5 (low remaining weak amount) near4 (warning alarm indicat\$3 alert\$3)) and ((mode\$1 near5 chang\$3) same (current\$1 near6 stor\$4))	US-PGPUB; USPAT; JPO	OR	OFF	2005/03/19 13:05
L7	1	("3946299").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/19 13:04
L8	4	("6232747").URPN.	USPAT	OR	OFF	2005/03/19 13:04
L9	827	(battery near5 (low remaining weak amount) near4 (warning alarm indicat\$3 alert\$3)) and ((mode\$1 near5 chang\$3))	US-PGPUB; USPAT; JPO	OR	OFF	2005/03/19 13:06
L10	338	9 and (camera\$1 or camcorder\$1 or phone\$1)	US-PGPUB; USPAT; JPO	OR	OFF	2005/03/19 13:06
L11	56	(battery near5 (low remaining weak amount) near4 (warning alarm indicat\$3 alert\$3)) same ((mode\$1 near5 chang\$3))	US-PGPUB; USPAT; JPO	OR	OFF	2005/03/19 13:06
L12	13	11 and (camera\$1 or camcorder\$1 or phone\$1)	US-PGPUB; USPAT; JPO	OR	OFF	2005/03/19 13:06
S68	6	US-3017623-\$.DID. OR US-4523193-\$.DID. OR US-5428388-\$.DID. OR US-6175298-\$.DID. OR US-6414589-\$.DID. OR US-6545595-\$.DID.	USPAT	OR	OFF	2005/03/14 19:38
S11 2	15	"4356481"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/16 17:40

S11 3	10	S112 and (voltage near4 drop\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/16 17:41
S11 4	14	("4356481").URPN.	USPAT	OR	OFF	2005/03/16 17:56
S11 5	22	("3767995" "4006396" "4356481" "4380726" "4583035" "4593409" "4622508" "4636741" "4645325" "4673861" "4684870" "4686444" "4709404" "4718043" "4726052" "4727306" "4734635" "4735349" "4742290" "4746854" "4849682" "4965738").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/16 18:18
S11 6	11332	("320"/\$.ccls.)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/16 18:18
S11 7	39	(voltage or battery) near5 (drop\$4 low remain\$3) same ((mode\$1 near4 current) near10 (change\$2 near3 mode\$1))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/16 18:24
S11 8	6	S116 and S117	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/16 18:24
S11 9	1	S118 and (batter\$3 near4 type\$1) near10 (resistan\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/16 18:25
S12 0	5	("5164652" "5656917" "5684387" "5696433" "5703467").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/16 18:40
S12 1	676	340/636.1-636.13.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/16 18:43
S12 2	113	S121 and (batter\$2 near5 (low drop\$3 status) near8 (predetermined reference\$1 threshold\$1))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/16 18:51
S12 3	2	S121 and (batter\$2 near5 (low drop\$3 status) near8 (predetermined reference\$1 threshold\$1)) and ((mode\$1 near5 chang\$3) same (storage stor\$3 memory record\$3))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/16 18:48
S12 4	6	S121 and (batter\$2 near5 (low drop\$3 status) near8 (predetermined reference\$1 threshold\$1)) and (camera\$1 camcorder\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/16 18:51

S12 5	0	S121 and (batter\$2 near5 (low drop\$3 status) near8 (predetermined reference\$1 threshold\$1)) same (chang\$4 near4 mode\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/16 18:51
S12 6	1	S121 and (batter\$2 near5 (low drop\$3 status) same (predetermined reference\$1 threshold\$1) same (chang\$3 near4 mode\$1))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/16 18:52
S12 7	47	(batter\$2 near5 (low drop\$3 status) same (predetermined reference\$1 threshold\$1) same (chang\$3 near4 mode\$1))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/16 18:53
S12 8	8	S127 and (resistan\$3 near6 (calculat\$4 determin\$4 identif\$4))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/16 18:53
S12 9	8	("4058969" "4395138" "5329501" "5886953" "5898643" "5905437" "6396772" "6463010").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/17 15:09
S13 0	676	(340/636.1-636.13).ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/17 15:10
S13 1	2803	340/657-664.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/17 15:10
S13 2	3405	S130 or S131	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/17 15:10
S13 3	281	S132 and ((battery power) near5 (drop low) near6 (warning alarm alert indicat\$4))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/17 15:11
S13 4	1	S133 and ((chang\$4) near4 (mode\$1 or operation\$1)) same (current near5 differen\$4)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/17 15:15
S13 5	20	S133 and ((chang\$4) near4 (mode\$1 or operation\$1))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/17 15:15
S13 6	3	S135 and (camera camcord\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/17 15:19
S13 7	885	320/149-152.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/17 15:19
S13 8	39	S137 and (low drop) near5 (voltage power battery) near9 (warning display alarm alert\$3 indicator)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/17 15:20

S13 9	2	S138 and (measur\$3 detect\$3 sens\$3 monitor\$3) near5 (chang\$3 near3 mode\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/17 15:21
S14 0	5	("5164652" "5656917" "5684387" "5696433" "5703467").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/17 15:33
S14 1	8	("5912544").URPN.	USPAT	OR	OFF	2005/03/17 15:39
S14 2	781	(323/274-277).ccls.	US-PGPUB; USPAT; JPO	OR	OFF	2005/03/17 15:39
S14 3	14	S142 and (battery voltage power) near5 (low drop\$3) same (resistanc\$3 near5 (measures\$2 calculat\$3 determine\$4))	US-PGPUB; USPAT; JPO	OR	OFF	2005/03/17 16:01
S14 4	146	("323"/\$.ccls.) and (battery voltage power) near5 (low drop\$3) same (resistanc\$3 near5 (measures\$2 calculat\$3 determine\$4))	US-PGPUB; USPAT; JPO	OR	OFF	2005/03/17 16:10
S14 5	0	S144 and (camera camcord\$3 phone) same ((mode\$1 operat\$4) near4 chang\$3)	US-PGPUB; USPAT; JPO	OR	OFF	2005/03/17 16:03
S14 6	25	S144 and ((mode\$1 operat\$4) near4 chang\$3) same (current\$1 voltage\$1 power\$1) near5 (drop\$3)	US-PGPUB; USPAT; JPO	OR	OFF	2005/03/17 16:09
S14 7	25	S146 and (resistan\$3 near8 (calculat\$3 determine\$3 sens\$3 detect\$3))	US-PGPUB; USPAT; JPO	OR	OFF	2005/03/17 16:06
S14 8	22	S147 and (battery)	US-PGPUB; USPAT; JPO	OR	OFF	2005/03/17 16:06
S14 9	22	S148 and (electronic near3 device\$1)	US-PGPUB; USPAT; JPO	OR	OFF	2005/03/17 16:06
S15 0	22	S148 and (camera)	US-PGPUB; USPAT; JPO	OR	OFF	2005/03/17 16:07
S15 1	22	S148 and (warning alert\$3 indicat\$3 alarm)	US-PGPUB; USPAT; JPO	OR	OFF	2005/03/17 16:08
S15 2	1	S144 and ((mode\$1 operat\$4) near4 chang\$3) same (current\$1 voltage\$1 power\$1) near5 (drop\$3) same (resistan\$4 near5 (calculat\$4 determin\$5))	US-PGPUB; USPAT; JPO	OR	OFF	2005/03/17 16:09

S15 3	2	("323"/\$.ccls.) and ((battery) near5 (low drop\$3) same (resistanc\$3 near5 (mearsure\$2 calculat\$3 determine\$4)))	US-PGPUB; USPAT; JPO	OR	OFF	2005/03/17 19:17
----------	---	--------------------------------------------------------------------------------------------------------------------------------	----------------------------	----	-----	------------------